

**Insulation Grade Options** (Tick Option)

- Leka A+ (U-Value 0.12)   
 Leka A (U-Value 0.15)  (Std)  
 Leka Eco++ (U-Value 0.15)   
 Leka Eco+ (U-Value 0.18)   
 Leka Eco (U-Value 0.18)

See Page 2 For Insulation Grade Specification Details

**Additional Items / Information:-**

**\*\* Please Indicate All Walls & Box Gutters if Required \*\***

**Conservatory Roof Layout & Specification**

**\*\*Please Provide Internal Sizes Only (Viewed From Outside)\*\*  
All Sizes Provided In Millimetres**

Internal Width  (mm)

Internal Projection  (mm)

Eaves/Frame Height

Dwarf / Wall Height

Roof Pitch (15° Minimum)

External Ridge Height

**Metrotile Shingle**

Colour:

See Colour Chart For Correct Colour Reference.

**Tapco Tile**

Colour:

See Colour Chart For Correct Colour Reference.

**Fascia Colour** (Tick Option)

- White  Golden Oak  Rosewood   
 Black  Anth Grey  Chart Green

**Gutter Colour** (Tick Option)

- White  Brown  Caramel\*   
 Black

**Gutter Type** (Tick Option)

- Square Line  Half Round  Ogee

**\*\* Ogee Required With Box Gutter \*\***

Downpipe:- Square  Round

Fascia & Gutter Not Required

Frame Depth:- .....

Velux Roof Lights:- QTY.

- 550mm x 780mm   
 550mm x 980mm  780mm x 980mm   
 550mm x 1180mm  780mm x 1180mm   
 660mm x 1180mm  780mm x 1400mm

**\*\* All Velux Roof Lights will be supplied with a White internal finish as standard \*\***

**\*\* Velux Roof Lights will be supplied with opening pole as standard \*\***

Please Mark Outlet Position on Roof Plan.

# LOWER PRICED LEKA ROOF NOW AVAILABLE FROM MODPLAN

## LEKA 'A+' SYSTEM

### 0.12 W/M2K U-VALUE

Supplied using the unique LEKA internal boards and 130mm Kingspan insulation creates one of the best U-values available in the solid roof market today.

## LEKA 'A' SYSTEM

### 0.15 W/M2K U-VALUE

The original LEKA System, supplied using the unique LEKA internal boards and 130mm Celotex Insulation (or equivalent), creates a high U-value, fitter friendly system and competitive edge.

## LEKA ECO++

### 0.15 W/M2K U-VALUE

The LEKA fabricator still supplying cut to size 130mm Celotex (or equivalent), and the installer supplying their own 12.5mm foiled backed plasterboard, maintains the high U-values of our original LEKA System. This provides a very competitive edge when required.

## LEKA ECO+

### 0.18 W/M2K U-VALUE

The LEKA System still supplied using the unique LEKA internal boards and also supplied with cut to size 130mm high-grade EPS insulation (or equivalent), maintains U-values required for building control efficiency. This is one of the most competitive LEKA systems on offer that still retains the innovative benefits of its core components.

## LEKA ECO

### 0.18 W/M2K U-VALUE

The LEKA fabricator still supplying cut to size 130mm high-grade EPS insulation, and the installer supplying their own 12.5mm foiled backed plasterboard, maintains U-values required for building control efficiency. This is the most competitive roof offering from LEKA Systems.

THE ORIGINAL  
LEKA ROOF

UP TO £400  
CHEAPER THAN  
THE ORIGINAL LEKA  
ROOF



NEW DEDICATED LEKA  
PRODUCTION FLOOR.  
INCREASED CAPACITY TO MEET  
DEMAND



THIS MARKET DEMAND  
HAS NOW WARRANTED AN IMMEDIATE EXPANSION IN OUR  
INSTALLER NETWORK WITH A UNIQUE OPPORTUNITY TO  
HELP GROW YOUR BUSINESS.

## MODPLAN LTD

PVCU WINDOWS | DOORS | CONSERVATORIES | ROOF SYSTEMS  
IMPERIAL BUILDINGS, BRIDGE STREET, WEST END, ABERCARN, NP11 4SB  
TELEPHONE 01495 246844 | [WWW.MODPLAN.CO.UK](http://WWW.MODPLAN.CO.UK)